

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 4 | "710"/9.ccls. and table with (origin or source) and (target or destination) near3 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:36 |
| L2 | 56 | "710"/22.ccls. and table with (origin or source) and (target or destination) near3 address and DMA | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:36 |
| L3 | 15 | "710"/9.ccls. and interrupt\$4 with poll\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:36 |
| L4 | 23 | "710"/22.ccls. and table with (origin or source) and (target or destination) near3 address and allocat\$ near3 memory and DMA | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:37 |
| L5 | 0 | "710"/9.ccls. and table with (origin or source) and (target or destination) near3 address and allocat\$ near3 memory and DMA | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:37 |
| L6 | 13 | "710"/22.ccls. and card reader and (direct memory access or DMA) controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:37 |
| L7 | 41 | (card adj reader).ab. and DMA | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:37 |

EAST Search History

| | | | | | | |
|-----|----|---|--|------|----|------------------|
| L8 | 5 | card reader with DMA and DMA controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:38 |
| L9 | 10 | card reader with (direct memory access or DMA) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:38 |
| L10 | 5 | card reader with DMA and DMA controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:38 |
| L11 | 10 | "710"/22.ccls. and parameter with ((origin or source) and (target or destination) near3 address) and allocat\$ near5 (\$2RAM or memory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:38 |
| L12 | 6 | card reader same DMA controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:39 |
| L13 | 10 | card adj reader same (direct memory access or DMA) controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:39 |
| L14 | 2 | card reader with DMA controller | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:40 |

EAST Search History

| | | | | | | |
|-----|---|-----------------------------|--|------|----|------------------|
| L17 | 1 | card adj reader with (DMAC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/15 12:40 |
|-----|---|-----------------------------|--|------|----|------------------|